



PRICE LIST



Domestic



Commercial



Industrial

Gun Metal, Brass, Bronze,
Cast Iron, Stainless Steel
& Cast Steel
Industrial and Domestic
VALVES



Authorized Distributor

Price List 159 Date 31-12-25



 **SCIENTIFIC
REFRATORIES**
Pipes | Valves | Fittings

Address- 201-202, New Siyaganj,
Indore, MP, 452003

+91-9826266295
+91-9425066295

 pinkeshshahe31@gmail.com



GUN METAL GATE VALVE SCREWED



Testing of Valves is done as per specification under clause - 9 of IS : 778 - 1984, The hydraulic Test pressures are indicated below:-
Body Test Pressure = 1.5 MPa Hyd.
Seat & Backseat Pressure = 1.0 MPa Hyd.

Size	Rate
8/10MM	1430.00
15MM	1430.00
20MM	1914.00
25MM	2855.00
32MM	4120.00
40MM	5500.00
50MM	8437.00
65MM	14001.00
80MM	20757.00
100MM	38995.00

Item Code: GI

FORGED BRASS BALL VALVE EXCEL (Screwed)



HYD. Test Pressure
 Shell : **25kg/cm2** (350psig)
 Seat : **16kg/cm2** (225psig)

Single piece design, Full bore, Screwed female ends to IS:554/ BS 21/ ISO 7, Blow-out stem, Floating ball, Lever operated High chrome plated finish.

Size	Rate
8/10MM	530.00
15MM	530.00
20MM	739.00
25MM	1145.00
32MM	1848.00
40MM	2808.00
50MM	3993.00
65MM	8542.00
80MM	12667.00
100MM	21811.00

Item Code: BVE

BRASS FLOAT VALVE Full Flow (Screwed)



HYD. Test Pressure
 Shell : **24kg/cm2** (340psig)
 Seat : **16kg/cm2** (225psig)

Screwed male ends to BSP Full bore design, with Nitrile rubber seat

Size	Rate
15MM	842.00
20MM	1056.00
25MM	1716.00
32MM	2690.00
40MM	3279.00
50MM	5283.00

Item Code: BFV

BRASS DRAIN VALVE (Screwed)



HYD. Test Pressure
Shell : **24kg/cm2**(340psig)
Seat : **16kg/cm2**(225psig)

Rising stem, Screwed in bonnet, Inside screw, Integral seats, Screwed female ends(BSP) IS:554-1985I

Size	Rate
15MM	1273.00
20MM	1661.00
25MM	2417.00
32MM	3291.00
40MM	5119.00
50MM	7116.00

Item Code: BDV



Screwed female ends

Size	Rate
15MM	1163.00
20MM	1300.00
25MM	1664.00
32MM	2588.00
40MM	3147.00
50MM	5024.00
65MM	8580.00

Item Code: SWBV

BRASSMULTI CHECK VALVE (Screwed)

HYD. Test Pressure

Shell : **20kg/cm2** (285psig)

Seat : **13kg/cm2** (190psig)

Screwed female ends (BSP) to IS:554-1985, Single piece design for Vertical or Horizontal lines only. One sided flow close automatically in reverse flow.

Size	Rate
15MM	682.00
20MM	979.00
25MM	1276.00
32MM	2090.00
40MM	2915.00
50MM	4466.00
65MM	6028.00
80MM	8382.00
100MM	16086.00

Item Code: MC

BRASS SWING CHECK VALVE(Screwed)

HYD. Test Pressure

Shell : **24kg/cm2** (340psig)

Seat : **16kg/cm2** (225psig)

Screwed female ends (BSP) to IS:554-1985, Screwed in bonnet, Specially designed for Horizontal as well as Vertical flow metal to metal seating, Uni-direction flow.

Size	Rate
15MM	693.00
20MM	992.00
25MM	1340.00
32MM	2049.00
40MM	3073.00
50MM	4873.00
65MM	7480.00
80MM	11660.00
100MM	23320.00

Item Code: SCV

BRASS STRAINER 'Y' (Screwed)

HYD. Test Pressure

Shell : **20kg/cm2** (285psig)

Screwed female ends to BSPT, Stainless Steel perforated sheet screen Fine finish & smooth contours reduce pressure drop in strainer.

Size	Rate
15MM	560.00
20MM	748.00
25MM	1122.00
32MM	2008.00
40MM	2699.00
50MM	4706.00
65MM	7856.00
80MM	10681.00

Item Code: BYS



BRONZE PRESSURE REDUCING VALVE SCREWED



Screwed in bonnet, Piston type, with a provision of installing pressure gauge at down stream side, Screwed female ends to BS 21.

Size	Rate
15MM	1815.00
20MM	1969.00
25MM	4620.00
32MM	5280.00
40MM	5852.00
50MM	6556.00
65MM	14960.00
80MM	27115.00
100MM	33660.00

Item Code: PRV